



U.S. Department of Transportation

National Highway Traffic Safety Administration

# Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



# PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 40

CASE NO. 613

TYPE OF ACCIDENT CAR DELESTRIAN CROSSING ROAD STRAIGHT

# A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers. VEHICLE TRAVELLING IN A SOUTHERLY DIRECTION ATTEMPTING TO MAKE A LEFT TURN TO HEAD EAST WHEN VEH. I STRUCK PECESTRIAN WHILE CROSSING THE ROAD FROM SOUTH TO NORTH,
PEDESTRIAN WAS IN THE CROSSWALK ATTIME OF COLLISION.
PEDESTRIAN WAS STRUCK WITH THE LEFT FRONT FENDER AND WAS
KNOCKED TO THE BROUND TO THE LEFT OF THE VEHICLE. PEDESTRIAN WAS TRANSPORTION VIA AMBULANCE TO MEDICAL

CENTER

B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	Injury ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	29	2	4	Upper Extremity	Elbau Forearm	١	Hod Surface

Body Region	Type of Anatomic Structure
Head Face Throat Chest Abdomen/Pelvis Spine	Whole Area Vessels Nerves Organs Skeletal Head-LOC
Upper Extremity Lower Extremity External	Skin-Burn Skin-Other

# **Abbreviated Injury Scale**

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

## C. VEHICLE PROFILE


	Class		Most Severe Damage Based on Vehicle Inspection		
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description	
01	SVB COMPACT	95 FORD ASPIRE	LEFT	MINOR	


### DO NOT SANITIZE THIS FORM


. U.S. Department of Transportation

# **ACCIDENT COLLISION DIAGRAM**

BEST AVAILABLE







# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 4 5 Case Number-Stratum 6 1 2 P							
PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM							
document reference point and reference line relative to physical features	Surface Type	ASPANT	* no	rth arrow placed on diagram			
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	n <u>DRY</u>	• gra	ade measurements for all applicable adways			
a) vehicle skid marks	Coefficient of Fri	ction	* sca	aled representations of the physical plant cluding:			
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)			
c) vehicle/pedestrian point of impact (POI)	a) at impa	act	b)	all traffic controls (e.g., lights, signs)			
d) location of pedestrian separation point from vehicle	b) betwee final re	en impact and st	pe	aled representations of the vehicle and destrian at pre-impact, impact, and final st based upon either:			
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travi	el Direction <u>South</u>	a)	physical evidence, or			
<ul> <li>documentation of the physical plant including:</li> </ul>	Vehicle Travel D	irection <u>\$00776.70 E</u> AST	b)	reconstructed accident dynamics			
<ul> <li>all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)</li> </ul>	Number of Trave	al Lanes <u>L</u>					
b) all traffic controls (e.g., lights, signs)							
Reference Point: SIGNAL STANLARD EAST SILE Reference Line: EAST CURBLINE							
Item		Distance and Direction from Reference Point		Distance and Direction from Reference Line			
Rip		(2,0		J. 1. F			
POLE #1 W		5,45		20.5W			
POLE* 2 5		24.95		17.5W			
POLE # 3 E		19.78		8.1E			
FIREHYLRANT #1 w	0,0		15.6W				
FH 47	20.15		16.0W				
FH ±3	<u>É</u>	19.15		15,4 E			
NS 516N	<del></del>	5,65		5,6 €			
Bus STUP TELE		5.75		13.2 E			
1 KLR		5,15		15.0 E			

Item	Distance and Direction from Reference Point	Distance and Direction
	Hom Reference Form	from Reference Line
		;
		1
		·

U.S. Department of Transportation National Highway Traffic Safety Administration

# PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

			TEDESTRIAN CRASH	
<ol> <li>Primary Sampling Unit Number</li> </ol>	40	SPEC	AL STUDIES - INDICATOR	S
2. Case Number - Stratum	6 1 2 P	I may been co	ch special study (SS15-SS19 belompleted; code 1 for the checked	d chaoint
IDENTIFICATION		studies and 0	for the special studies not checke	d.
Number of General Vehicle     Forms Submitted	0 4	6SS15	Administrative Use	_0_
	0 1	7. <u></u> ∠SS16	Pedestrian Crash Data Study	_1_
4. Date of Accident (Month, Day, Year)	/ 9 🕱	8SS17	Impact Fires	_0_
5. Time of Accident	855	9SS18		0
Code reported military time of acci	dent.			
NOTE: Midnight = 2400 Unknown = 9999		10SS19		0
			NUMBER OF EVENTS	
·		11. Number of in This Acc	Recorded Events	0 1

# PEDESTRIAN STUDY CRITERIA

# Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller a baby carriage/push cart/wheelchair or on a horse are excluded.

# Case Selection Criteria:

A <u>forward moving</u>, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

A a side of E		PEDESTRIAN	ACCIDENT	<b>FEVENTS</b>		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> 1	13. <u>0</u> <u>1</u>	14. <u>0</u> /	15	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

# CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

# CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 40	OFFICIAL RECORDS
2. Case Number - Stratum 6 1 2 P	9. Police Reported Travel Speed 99
3. Vehicle Number  VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
VEHICLE IDENTIFICATION	
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 = kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify):	in kmph (999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and	30 mph X 1.6093 = $48$ kmph
Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
6. Vehicle Model (specify):  A SPIRE  Applicable codes are found in your NASS PCDS Data Collection, Coding and	(9) Unknown  12. Alcohol Test Result For Driver
Editing Manual. (999) Unknown  7. Body Type Note: Applicable codes may be found on the back of this page.	Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
KNJLT & H 2 5 6 7 8 9 10 11 12 13 14 15 16 17  Left justify; Slash zeros and letter Z (0 and Z)  No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

# CODES FOR BODY TYPE

# CDS APPLICABLE VEHICLES

### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- 5-door/4-door hatchback (05)
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

# Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

# Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (< 4,500 kgs GVWR)
- (24)Van based school bus (≤ 4,500 kgs GVWR)
- Van based other bus (≤ 4,500 kgs GVWR)
- (28)Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

### Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

# Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- Truck based panel
- Light truck based motorhome (chassis mounted) (42)
- Other light conventional truck type (45)
- (48)Unknown light truck type
- (49)Unknown light vehicle type (automobile, utility, van, or light truck)

# OTHER VEHICLES

# Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

# Medium/Heavy Trucks (> 4,500 kgs GVWR)

- Step van (> 4,500 kgs GVWR)
- Single unit straight truck (4,500 kgs < GVWR  $\le$  8,850 (61)kas)
- Single unit straight truck (8,850 kgs < GVWR ≤ (62)12,000 kgs)
- Single unit straight truck (> 12,000 kgs GVWR)
- Single unit straight truck, GVWR unknown
- (65)Medium/heavy truck based motorhome (67)
- Truck-tractor with no cargo trailer (68) Truck-tractor pulling one trailer
- (69)Truck-tractor pulling two or more trailers
- (70)Truck-tractor (unknown if pulling trailer)
- Unknown medium/heavy truck type (78)
- (79) Unknown truck type (light/medium/heavy)

### Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- Three-wheel motorcycle or moped (82)
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91)Snowmobile
- (92) Farm equipment other than trucks
- Construction equipment other than trucks (93)
- (97)Other vehicle type
- Unknown body type (99)

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight	18. Impact Speed  + 499  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source:	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event  This Vehicle Loss of Control Due To:  (01) Blow out or flat tire (02) Stalled engine (03) Disabling vehicle failure (e.g., wheel fell off) (specify):  (04) Non-disabling vehicle problem (e.g., hood flew up) (specify):  (05) Poor road conditions (puddle, pot hole, ice, etc.) (specify):  (06) Traveling too fast for conditions (08) Other cause of control loss (specify):  (09) Unknown cause of control loss  This Vehicle Traveling (10) Over the lane line on left side of travel lane (11) Over the lane line on right side of travel lane	<ul> <li>(83) Pedalcyclist or other nonmotorist in roadway (specify):</li></ul>
<ul> <li>(12) Off the edge of the road on the left side</li> <li>(13) Off the edge of the road on the right side</li> <li>(14) End departure</li> <li>(15) Turning left at intersection</li> <li>(16) Turning right at intersection</li> <li>(17) Crossing over (passing through) intersection</li> <li>(19) Unknown travel direction</li> <li>Other Motor Vehicle In Lane</li> <li>(50) Stopped</li> <li>(51) Traveling in same direction with lower speed <ul> <li>(i.e., lower steady speed or decelerating)</li> </ul> </li> <li>(52) Traveling in same direction with higher speed</li> <li>(53) Traveling in opposite direction</li> <li>(54) In crossover</li> <li>(55) Backing</li> <li>(59) Unknown travel direction of other motor vehicle in lane</li> </ul> <li>Other Motor Vehicle Encroaching Into Lane</li>	24. Attempted Avoidance Maneuver (00) No driver present (01) No avoidance actions (02) Braking (no lockup) (03) Braking (lockup) (04) Braking (lockup unknown) (05) Releasing brakes (06) Steering left (07) Steering right (08) Braking and steering left (09) Braking and steering right (10) Accelerating (11) Accelerating and steering left (12) Accelerating and steering right (98) Other action (specify): (99) Unknown
<ul> <li>(60) From adjacent lane (same direction)—over left lane line</li> <li>(61) From adjacent lane (same direction)—over right lane line</li> <li>(62) From opposite direction—over left lane line</li> <li>(63) From opposite direction—over right lane line</li> <li>(64) From parking lane</li> <li>(65) From crossing street, turning into same direction</li> <li>(66) From crossing street, across path</li> <li>(67) From crossing street, turning into opposite direction</li> <li>(68) From crossing street, intended path not known</li> <li>(70) From driveway, turning into same direction</li> <li>(71) From driveway, across path</li> <li>(72) From driveway, intended path not known</li> <li>(73) From driveway, intended path not known</li> <li>(74) From entrance to limited access highway</li> <li>(78) Encroachment by other vehicle—details unknown</li> <li>Pedestrian or Pedalcyclist, or Other Nonmotorist</li> <li>(80) Pedestrian approaching roadway</li> <li>(81) Pedestrian—unknown location</li> </ul>	(0) No driver present (1) No avoidance maneuver (2) Tracking (3) Skidding longitudinally—rotation less than 30 degrees (4) Skidding laterally—clockwise rotation (5) Skidding laterally—counterclockwise rotation (8) Other vehicle loss-of-control (specify): (9) Precrash stability unknown  26. Precrash Directional Consequences of Avoidance Maneuver (Corrective Action) (0) No driver present (1) No avoidance maneuver (2) Vehicle stayed in travel lane where avoidance maneuver was initiated (3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated (4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was initiated (5) Vehicle departed roadway (6) Avoidance maneuver initiated off roadway (9) Directional consequences unknown

		ENVIRO	MME	M I V	(L L	DATA
27.	(0) No (1) Int Non-Int (2) Int (3) Int (4) Dr (5) Ot	n to Junction on-junction terchange area terchange tersection tersection-related rive, alley access related ther non-interchange (specify):	2		(1) (2) (3) (4) (5) (8)	Wet
28	(9) Ur	nknown type of non-interchange nknown if interchange way Flow	1	34.	(O)	fic Control Device No traffic control(s) Trafficway traffic control signal (not RR crossing)
	(1) No (2) Dir po (3) Dir po (4) Or	way Flow ot physically divided (two way traffic) ivided trafficway - median strip without ositive barrier ivided trafficway - median strip with ositive barrier ne way trafficway nknown			(2) (3) (4) (5)	Ulatory or School Zone Sign (Not RR Crossing) Stop sign Yield sign School zone sign Other sign (specify): Unknown sign Warning sign (not RR crossing)
29.	(1) Or (2) Tv (3) Th (4) Fo (5) Fir	wo hree our ive	4	35	(8)	Miscellaneous/other controls including RR controls (specify):  Unknown  ffic Control Device Functioning
	(6) Si (7) Se (9) Ui	ix even or more nknown			(0) (1) (2)	No traffic control Not Functioning Functioning Unknown
30.	(1) St (2) Ct (3) Ct	vay Alignment traight urve right urve left Inknown		36.	(1) (2) (3) (4)	Daylight Dark Dark, but lighted Dawn
31.	(1) Le (2) U (3) D (4) H (5) S	vay Profile evel iphill Grade (>2%) ownhill Grade (>2%) lillcrest ag Inknown		37.	(5) (9)	Dusk Unknown  nospheric Conditions No adverse atmospheric related driving conditions Rain
32	(1) C (2) B (3) B (4) S (5) D (8) O	vay Surface Type Concrete Bituminous (asphalt) Brick or Block Blag, gravel or stone Dirt Other (specify):	2		(4) (5) (6) (7)	Snow Fog Rain and fog Sleet and fog Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):

J.S. Department of Transportation Vational Highway Traffic Safety  DEDECTRIAN EVICE	NOD VELLOLE EODA NATIONAL ACCIDENT ANNOUNCE
Administration PEDESTRIAN EXTER	RIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number	3. Vehicle Number <u>0 1</u>
2. Case Number - Stratum 6 1 2 P	
VEHICLE IDE	NTIFICATION
VIN KNJLTØ6H256	( )—
Vehicle Make (specify): FORd	Vehicle Model (specify): ASPIRE 4DR
PEDESTRIAN FRONT C	ONTACT WORK SHEET
PEV06 Hood Material	Steel
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
PEV14 Front Bumper Cover Material	Rostei
PEV15 Front Bumper Reinforcement Material	steel
VERTICAL ME	EASUREMENTS
PEV16 Front Bumper-Bottom Height	cm
PEV17 Front Bumper-Top Height	cm
PEV18 Forward Hood Opening	cm
PEV19 Front Bumper Lead	cm
WRAP D	ISTANCES
PEV20 Ground to Forward Hood Opening	cm
PEV21 Ground to Front/Top Transition Point	cm
PEV22 Ground to Rear Hood Opening	cm
PEV23 Ground to Base of Windshield	cm
PEV24 Ground to Top of Windshield	


cm

cm

HS Form 0435K (Rev. 10/95)

PEV25 Ground to Head Contact


# **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 138 cm

	PEDESTRIAN SIDE	<b>CONTACT WORK SHEET</b>	
PEV06	Hood Material	Steel	
PEV08	Hood Length		89 cm
PEV09	Hood Width-Forward Opening	-	125 cm
PEV10	Hood Width-Midway	7	/35 cm
PEV11	Hood Width-Rear Opening	-	139 cm
		• •	7-7-
		. MEASUREMENTS	- /
1	Ground Clearance	-	cm
	Side Bumper-Bottom Height		<del></del>
	Side Bumper-Top Height	-	_ <u>5</u> cm
PEV29	Centerline of Wheel	-	_ <u>26</u> cm
PEV30	Top of Tire	-	_5_4 cm
PEV31	Top of Wheel Well Opening	-	<u>6</u>
PEV32	Bottom of A-Pillar at Windshield		-95 cm
PEV33	Top of A-Pillar at Windshield	,	<u> </u>
PEV34	Top of Side View Mirror	-	<u>/ 0 /</u> cm
	LATERAL	MEASUREMENTS	
PEV35	C <sub>L</sub> to A-Pillar at Bottom of Windshield		_67 cm
PEV36	$C_L$ to A-Pillar at Top of Windshield		5 cm
PEV37	C <sub>L</sub> to Maximum Side View Mirror Protrusion	on	
	WRA	P DISTANCES	
DE1/20	Crown day Cido/Tou Tourist		07
	Ground to Side/Top Transition		cm
	Ground to Hood Edge		cm
	Ground to Centerline of Hood (ORIGIN)		157 cm
PEV41	Ground to Head Contact	-	<u>99</u> cm



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: \_\_\_\_\_ cm

### Wheelbase inches x 2.54 = $239 \, \mathrm{cm}$ 9 inches $\times 2.54 =$ Overall Length 65.4 inches x 2.54 = Maximum Width 20.480 pounds x .4536 = Curb Weight $\int$ inches x 2.54 = Average Track 32.7 inches x 2.54 = Front Overhang Rear Overhang Undeformed End Width $_{--}$ $_{--}$ . inches x 2.54 = Engine Size: cyl./displ. \_\_\_ \_\_ CC x.001 =CID x .0164 =**INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):\_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):\_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): \_ 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): \_ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

ORIGINAL SPECIFICATIONS

5	POINTS OF PEDESTRIAN CONTACT										
			PEDEST	RIAN CONTA	ACT WORKSHI	EET					
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )	SEQUENCE			
45	Hood	114	59		Tolso	SCRATCHES	1 2 3 9	6			
ŴΑ	Fender	134	66		11	SCRATCHES DEEP SCRATCHES		1			
70	11	143	70		11	SCRATCH	1) 2 3 9	3			
₩C.	11	167	74		11	SCR47CHES	Ø 2 3 8	4			
WG	Minion	198	80		11	SCRATCHES SMUGGE & Collapsed SCRATCHES	2 3 9	2 5			
WF	Door	181	90		11	SCHATCHES	D2 1 9	5			
	!	/					1 2 3 9				
							1 2 3 9				
							1 2 3 9				
				<del>                                     </del>			1 2 3 9				
							1 2 3 9				
	<u> </u>		<u> </u>				1 2 3 9				
							1 2 3 9				
							1 2 3 9	1			
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 9				
							1 2 3 8				
							1 2 3 9				
							1 2 3 9				
	4			4							

1 2 3 9

			POINTS	OF PEDEST	RIAN CONTACT		
			CHRONO	LOGICAL ORD	ER OF CONTACTS		
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )
1	720	134	66		TORSO	SCRATCHES	① 2 3 9
2	732	198	80		TORSO	SMUCICIE & CXCAPSED	0233
3	720	143	70		TORSO	SCRATCH	1) 2 3 9
4	720	167	74		TORSO	SCRATCHES SMUCLE SMUCLE SMUCLE SCRATCH SCRATCHES SCRATCHES	<b>(1)</b> 2 3 9
5	730	187	90		TORSO	SCRATCHES	2 3 9
6	770	114	59		70150	SCRATCHES	1 /2)3 9
7		,	,				1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11 11-31 11/21 1 2 1 1 2 1
4. Original Wheelbase 239	11. Hood Width Rear OpeningCode to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more (999) Unknown
(999) Unknown	(999) Onknown
-94.1 inches X 2.54 = $239$ centimeters	inches X 2.54 = centimeters
5. Original Average Track Width//	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more (999) Unknown	(2) Minor crush (1-3 centimeters)
	(3) Moderate crush (4-7 centimeters)
55. 7 inches X 2.54 = / 4. / centimeters	(4) Severe crush (>7 centimeters)
<u></u>	(8) Damage present, unknown if damage is from
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7. Hood Original	(4) Unknown if contacted by pedestrian
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement (9) Unknown	·
	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	14) Frank B
nearest centimeter (180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic
(SSS) CHARLOWN	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber
,	(4) Other (specify):
9. Hood Width Forward Opening  Code to the	(9) Unknown
nearest centimeter	15) Front Bumper Reinforcement Material
(210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel
	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel
10. Hood Width Midway 132	(4) Other (specify):(9) Unknown
Code to the	(O) CHRIDWII
nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
inghes V 0.54	(000) No front contact
inches X 2.54 = centimeters	(150) 150 centimeters or more (999) Unknown
	inches X 2.54 = centimeters

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21. Ground to Front/Top Transition Point O O  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeters	27. Side Bumper-Bottom Height  Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown  15. 0 inches X 2.54 = 38 centimeters
22. Ground to Rear Hood Opening  Code to the nearest centimeter	28. Side Bumper-Top Height

29. Centerline of Wheel	026	Side Lateral Measurements
Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	_ centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact  Code to the nearest centimeter
30. Top of Tire  Code to the nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown  1.21.3 inches X 2.54 = 54	054	(250) 250 centimeters or more (999) Unknown  2 4 inches X 2.54 = 67 centimeters  36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter (000) No side contact
31. Top of Wheel Well Opening  Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	060	(250) 250 centimeters or more (999) Unknown
	095	nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown
33. Top of A-Pillar at Windshield  Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown  junction inches X 2.54 = 1 3 0		38. Ground to Side/Top Transition  Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown  34.3 inches X 2.54 = 87 centimeters
34. Top of Side View Mirror  Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown  398 inches X 2.54 = 101	centimeters	39. Ground to Hood Edge  Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown  35.4 inches X 2.54 = 90 centimeters

40. Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	<u> 157</u>			
41. Ground to Head Contact  Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	7 centimeters 445			
inches X 2.54 =	centimeters			
·				
			N.	
				:

# U.S. Department of Transportation National Highway Traffic Safety Administration

1

# PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary Sampling Unit Number 40	10. Pedestrian's Weight Code actual weight to the nearest
2.	Case Number - Stratum	kilogram. (999) Unknown
3.	Pedestrian Number01	pounds X .4536 = kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
5.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown  Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown  Pedestrian's Overall Height Code actual height to the nearest	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown  12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising
	centimeter. (999) Unknown inches X 2.54 =centimeters  Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters  Pedestrian's Height - Ground to Hip	(8) Other (specify): (9) Unknown  13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway
	Code to the nearest centimeter.  (999) Unknown inches X 2.54 =centimeters  Pedestrian's Height - Ground to Shoulder	(09) Off road, moving along driveway (98) Other (specify): (99) Unknown  14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

HS Form 435H (7/95) This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate and timely.

PEDESTRIAN'S AVOIDANCE ACTIONS	
	18. Pedestrian's Arm Orientation
	at Initial Impact
45 5 1 11 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	(99) Hands III pockets
(04) Jumped	One or both arms:
(05) Turned toward vehicle	
(06) Turned away from vehicle	(06) Extended upward
(07) Dove or fell away	(07) Extended to side
(01) Boto of Icil away	(08) Extended forward bracing
Used hand(s) to :	(09) Extended, holding object
(11) Vault corner of vehicle	(briefcase, suitcase, etc.)
	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
	(55) 5.1111.51111
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
- EDECTRIAN S CRIENTATION AT IMPACT	(02) Apart-laterally
	(02) Aparticular forward
	(03) Apart-right leg forward
40 Dedays Little Co.	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(00) Knocked to pavement to the first of the first
(8) Other (energial)	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
	1

OFFICIAL RECORDS		INJURY CONSEQUENCES
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown</li> <li>22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given</li> </ul>	<u>1</u> 96	25. Injury Severity (Police Rating)  (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:	0	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOR VARIABLES SUBSTROBERS/AR	(로(어이(시티브리카리카) 가게리 교이(기타어리(게리)
30. Glasgow Coma Scale (GCS) Score  (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (32) Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (97) Injured, details unknown (99) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death  (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian  Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	DS INCLUDED WITH INITIAL SUBMISSION? YES [x]  RYS NO [x] YES [ ]

U.S. Department of Transportation National Highway Traffic Safety Administration

# PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury


يتلل	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect		jury urce	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>~</u>	6. 7	79	8 <u>Ø 3</u>	<u>. 03</u>	10	11	12. 7	133	13	14	15.4	16. 2	. 17. 2
ا عور 2nd	18. 💆	19.7	20	21. 02	22. 🙆 🏖	23	24. 🕰	25. <u>/</u>	720	26	27		29. 2	
3rd	31. <u>3</u>	32. 2	33 <u>9</u>	34. <u>0</u> 2	35. <u>0 )</u>	36	37	38. <u>7</u>	20	39	40. <u>/</u>	41. 2		43.
4th	44	45	46	47	48	49	50	51		52	53	54	55	56
5th	57	58	59	60	61	62	63	64		65	66	67	68	69
6th	70	71	72	73	74	75	76	77		78	79	80	81	82
7th	83	84	85	86	87	88	89	90		91	92	93	94	95
3th	96	97	98.	99	100	101	102	103		104	105	106	107 1	08
)th :	109 1	10	111	1121	13	114	115	116		117	118	119	1201	21
Oth 1	122 1	23	124	1251	261	127	128	129		130	131	1321	33 1	34


This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and

	PEDESTRIAN INJURY DATA											
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
					_							
2th	_	_			_	_						
3th		_						1				
4th		_			_	_		_	_			
5th	_	_			_						_	_
6th					_	_		_	_			
7th	_	_			_	_			_	_	_	_
8th					_	_			_	-	_	_
9th	_	_			_			_		_	_	
:Oth						_			_		_	_
1st		_			_			_		_	_	_
2nd					_	_			_	_		_
3rd		_			_			_		_	_	_
4th				——		_		_		_		
5th									_		_	_

# OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





### **SOURCE OF INJURY DATA** INJURY SOURCE CONFIDENCE LEVEL **TYPE OF DAMAGE OFFICIAL** (1) Certain (2) Probable (0) Injury not from vehicle contact (1) No damage/contact (1) Autopsy records with or without hospital/ (3) Possible medical records Scratch (Scuff, Cloth Transfer, Smear) (9) Unknown Hospital/medical records other than (3) Dent emergency room (e.g., discharge DIRECT/INDIRECT INJURY (4) Large deformation summary) (5) Cracked, fractured, shattered (1) Direct contact injury (3) Emergency room records only (including (6) Separated from vehicle Indirect contact injury associated X-rays or other lab reports) Noncontact injury Noncontact injury (4) Private physician, walk-in or emergency (7) Injured, unknown source Other specify: Unknown (9) STRIKING PROFILE Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) **DAMAGE DEPTH** UNOFFICIAL (0) Injury not from vehicle contact (1) No residual damage (5) Lay coroner report (6) E.M.S. personnel Surface only damage Crush depth >0 to 2 centimeters (7) Interviewee Rounded edge (3) (8) Other source (specify): Sharp edge Other (specify): (4) Crush depth > 2 to 5 centimeters (5) Crush depth >5 to 10 centimeters (9) Police Other specify: (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic (06) Lumbar Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Head Face Minor injury (3) Neck (2) Moderate injury Serious injury (4) Thorax <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 Abdomen (08) Skin - Avulsion (4) (5) Severe injury (6) Spine Critical injury Maximum (untreatable) (10) Amputation (20) Burn Upper Extremity Lower Extremity (8) (30) (7)Injured, unknown severity Crush Level of Injury (9) Unspecified (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Aspect Specific Type of Anatomic Structure injuries assigned consecutive two-digit numbers (1) Right Left beginning with 02. Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion Vessels To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (3) (4) Bilateral (3) Nerves Central Organs (includes muscles/ (4) (5) (6) (7) Anterior ligaments) Skeletal (includes joints) Posterior Superior Head - LOC (8) (9) Inferior (9) Skin Unknown NFS as to lesion or severity. Whole region **INJURY SOURCE** FRONT 700 Front bumper Wheels / tires 744 B pillar 701 Front lower valance/spoiler 790 Left front wheel / tire 745 C pillar 702 Front grille 791 Right front wheel / tire 746 D pillar 703 Hood edge and/or trim 792 Left rear wheel / tire 748 Other pillar (specify): 704 Hood ornament (fixed) 793 Right rear wheel /tire 749 Right side roof rail 705 Hood ornament (spring loaded) 798 Other wheel / tire (specify): 750 Right side door surface 706 Headlight 799 Unknown wheel / tire 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 718 Other front or add on object 800 Front crossmember 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 719 Unknown front object 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 720 Front fender side surface 805 Drive shaft (specify): 721 Front antenna 806 Catalytic converter 759 Unknown right side component 807 Muffler 722 A1 pillar 723 A2 pillar 808 Floor pan Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 725 C pillar 810 Rear suspension 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface 728 Other pillar (specify): 768 Other back component (specify): 819 Unknown undercarriage component (specify): 729 Left side roof rail 769 Unknown back component 730 Left side door surface <u>Accessories</u> 731 Left side door handle 820 Air scoop, deflector Top Components 732 Left side mirror fixed housing 821 Cellular or CB radio antenna 770 Hood surface 733 Left side folding mirror 822 Emergency lights or bar 771 Hood surface reinforced by under hood 734 Left side glazing forward of B pillar 823 Fog lights component 735 Left side glazing rearward of B pillar 824 Luggage, ski, or bike rack 772 Front fender top surface 736 Left side back fender or quarter panel 825 Cargo (specify): 773 Cowl area 737 Rear antenna 826 Spare tire 774 Wiper blade & mountings 738 Other left side object 827 Spotlight 775 Windshield glazing (specify): 828 Other accessory (specify):\_ 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing Right Side Components 947 Ground 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): \_ 997 Noncontact injury source 743 A2 pillar


789 Unknown top component


999 Unknown injury source

	OFFICIAL INJURY DATA — SKELETAL INJURIES
Restrained? No Yes	Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)
Blood Alcohol Lev (mg/dl) BAL =	
Glasgow Coma Scale Score GCSS =	
Units of Blood Given Units =	
Arterial Blood Gase  Ph =  PO <sub>2</sub> =  PCO <sub>2</sub>	
HCO <sub>3</sub>	

# OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





1 PSU40 CASE 612P

1998 PEDESTRIAN ACCIDENT FORM MOE Date

99

IDENTIFICATION

3. Number of General Vehicle Forms Submitted 01

98

4. Date of Accident (Month, Day, Year)
5. Time of Accident (military time) 0855

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1 8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01 01

# 1998 PEDESTRIAN ACCIDENT FORM

PSU40 CASE 612P

# PEDESTRIAN ACCIDENT EVENTS

		1 11 11 11	11(111) 110012			
Accident Sequence Number	Vehicle Number	Class of Vehicle	General Area of Damage		Class of Vehicle	General Area of Damage
12. 01	13. 01	14. 01	15. L	16. 72	17. 00	18. 0
01 PSU40 CASE 612P VEHICLE 0			STRIAN ASSE	SSMENT FORM		
5. Pedestr 6. Pedestr 7. Pedestr 8. Pedestr	rian's Age rian's Sex rian's Over rian's Heig rian's Heig rian's Heig	all Height ht - Ground ht - Ground ht - Ground	to Hip	29 2 999 99 999 999		

00

# PEDESTRIAN'S PRE-AVOIDANCE ACTIONS

11.	Pedestrian's	Attitude	1
12.	Pedestrian's	Motion	1
13.	Pedestrian's	Actions Relative to Vehicle	01
14.	Pedestrian's	Body (Chest) Orientation Relative	
	to Striking V	Vehicle Prior to Avoidance Actions	1

# PEDESTRIAN'S AVOIDANCE ACTIONS

15. Pedestrian's First Avoidance Actions

PEDESTRIAN'S ORIENTATION AT IMPACT  16. Pedestrian's Head Orientation at Initial Impact  17. Pedestrian's Body (Chest) Orientation at Initial Impact  18. Pedestrian's Arm Orientation at Initial Impact  19. Pedestrian's Leg Orientation at Initial Impact  20. Vehicle/Pedestrian's Interaction	1 1 01 99 09
OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian	7 96
23. Police Reported Other Drug Presence For Pedestrian 24. Other Drug Specimen Test Result For Pedestrian	0 0

INJURY CONSEQUENCES  25. Injury Severity (Police Rating)  26. Treatment - Mortality  27. Type of Medical Facility (for Initial Treatment)  28. Hospital Stay	00
29. Working Days Lost	00
(COMPLETED BY THE ZONE CENTER) 30. Glasgow Coma Scale Score	15
31. Was the Pedestrian Given Blood?	1
	01
32. Arterial Blood Gases	00
33. Time to Death	
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestrian	03

# 1998 PEDESTRIAN INJURY FORM

CASE 612P

VEHICLE 01 PEDESTRIAN 01

# PEDESTRIAN INJURY DATA

	Source of Inj. Data	Body	Anat.	Spec. Anat. Struc.	of	AIS	Asp.			Indir.	Str.		Dmg.
01.	3	7	9	02	02	1	1	733	1	1	4	2	2
02.	3	7	9	02	02	1	2	770	1	1	2	2	2
03.	3	8	9	02	02	1	1	720	1	1	2	2	2

01

PSU40

1998 PEDESTRIAN GENERAL VEHICLE FORM

CASE 612P VEHICLE 01

# VEHICLE IDENTIFICATION

95
12
036
05
KNJLT06H2S6

OFFICIAL RECORDS	
9. Police Reported Travel Speed	999
10. Speed Limit	048
11. Police Reported Alcohol Presence For Driver	7
12. Alcohol Test Result For Driver	96
13. Police Reported Other Drug Presence	0
14. Other Drug Specimen Test Result for Driver	0

# VEHICLE WEIGHT ITEMS

15.	Vehicle	Curb Weight	0,930
16.	Vehicle	Cargo Weight	9,990

# OTHER DATA

17. Vehicle Special Use (This Trip) 0

RECONSTRUCTION DATA (COMPLETED BY THE ZONE CEN	ITER)
18. Impact Speed	+999
19. Accuracy Range of Impact Speed Estimate	9
20. Data Source of Impact Speed	0
PRECRASH DATA	
21. Driver's Attention to Driving	1
22. Pre-Event Vehicle Movement	10

PRECRASH DATA (continued)	
23. Critical Precrash Event	80
24. Attempted Avoidance Maneuver	01
25. Precrash Stability After Avoidance Maneuver	1
26. Precrash Directional Consequences of	
Avoidance Manuver (Corrective Action)	1

# ENVIRONMENTAL DATA 27. Relation to Junction 28. Trafficway Flow 29. Number of Travel Lanes 30. Roadway Alignment 31. Roadway Profile 32. Roadway Surface Type 33. Roadway Surface Condition 34. Traffic Control Device 35. Traffic Control Device Functioning 36. Light Conditions 137. Atmospheric Conditions 101

PSU40 1998 PEDESTRIAN EXTERIOR VEHICLE FORM CASE 612P

# VEHICLE 01

# VEHICLE DIMENSIONS

4.	Original Wheelbase	239
	Original Average Track Width	141
6.	Hood Material	3
7.	Hood Original Equip. Manufacturer	1
8.	Hood Length	089
9.	Hood Width Forward Opening	123
10.	Hood Width Midway	132
	Hood Width Rear Opening	139
12.	Hood/Fender Vertical/Lateral	
	Crush From Pedestrian	1

# FRONT CONTACT DAMAGE

FRONT VERTICAL MEASUREMENTS 14. Front Bumper Cover Material 16. Front Bumper-Bottom Height 18. Forward Hood Opening		17. Front Bumper-Top Height	0 000 00
FRONT WRAP DISTANCE MEASUREMENTS 20. Ground to Fwd. Hood Opening 22. Ground to Rear Hood Opening 24. Ground to Top of Windshield	000	25. Ordana of Dane of Management	000 000 000

# SIDE CONTACT DAMAGE

SIDE VERTICAL MEASUREMENTS	
26. Ground Clearance	026
27. Side Bumper-Bottom Height	038
28. Side Bumper-Top Height	051
29. Centerline of Wheel	026
30. Top of Tire	054
31. Top of Wheel Well Opening	060
32. Bottom of A-Pillar at Windshield	095
33. Top of A-Pillar at Windshield	130
34. Top of Side View Mirror	101
-	

# SIDE CONTACT DAMAGE (continued)

# SIDE LATERAL MEASUREMENTS 35. Centerline to A-Pillar at Bottom of Windshield 067 36. Centerline to A-Pillar at Top of Windshield 051 37. Centerline to Maximum Side View Mirror Protrusion 094 SIDE WRAP DISTANCE MEASUREMENTS 38. Ground to Side/Top Transition 087

38.	Ground	to	Side/Top Transition	087
39.	Ground	to	Hood Edge	090
40.	Ground	to	Centerline of Hood (Origin)	157

40612P00000011		000000108		99	99	99000000000
40612P00010012	9811.01000	0000000101	L72000			
40612P00010021					01101990979	500141000015
40612P00010131		0000003790				
40612P00010231	11.0 000	0000003790	2021277011:	222		
40612P00010331	11.0 000	0000003890	2021172011:	222		
40612P01000041	11.0 000	0000009512	03605KNJLT	06H2S6	99904879	500093999099
40612P01000051	11.0 000	0000002391	4131089123:	132139100	000000000000	000000000000
40612P9999999900	000000000000	000000000	0000000000	00000000	000000000000	00000000000

99

# PSU40 CASE 612P CURRENT VERSION: 11.0

# ERROR SUMMARY SCREEN PEDESTRIAN STUDY

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	0	0	0	Y
Pedestrian Injury	0	0	0	Y
Pedestrian General Vehicle	e 0	0	0	Y
Pedestrian Exterior Vehic	le 0	0	0	Y
Total Inter Errors		0	0	
Total Case Errors	0	0	0	